

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	09/937644	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/01 22:02
L2	0	600/584.ccls. and (superabsorbent with polymer with material)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 22:03
L3	8	600/573-584.ccls. and (superabsorbent with polymer with material)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 22:05
L5	7	("600"/\$.ccls. and "604"/\$.ccls.) and ((superabsorbent adj polymer) SAP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 22:24
L6	7	("600"/\$.ccls. and "604"/\$.ccls.) and ((alter\$3 chang\$3) with composition with liquid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 22:28
L7	3	("600"/573-584.ccls. ) and ((alter\$3 chang\$3) with composition with liquid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 22:28
L8	8	("604"/\$.ccls. ) and (((alter\$3 chang\$3) with composition with liquid) same (sensor analysis))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 22:32
L9	51	("604"/\$.ccls. "600"/\$.ccls.) and (absorbent same (gel\$3 convert\$ solidif\$) same (sensor analy\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 22:37
L10	633	("604"/\$.ccls. "600"/\$.ccls.) and (absorbent same (gel\$3 convert\$ solidif\$)) and (separat\$3 waterproof) and (sensor analy\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 22:38

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	3	"600"/\$.ccls. and (((catheter sheath) same ((opening recess hole slot) with sidewall)) same sensor)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/01 22:59
L4	6	"600"/\$.ccls. and (((catheter tube tubing pipe piping) same ((opening recess hole slot) with sidewall)) same sensor)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/01 23:01
L6	0	10/126566	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 23:02
L7	22	"600"/\$.ccls. and millar.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 23:04
L8	1	"600"/\$.ccls. and (catheter same (tube with lumen)) and (catheter with (hole slot opening recess) with sidewall) and ((sensor transducer electrode) with (hole slot opening recess))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 23:09
L9	33	("3277718"   "3315201"   "3417361"   "3480003"   "3550583"   "3553625"   "3710781"   "3946724"   "4023562"   "4274423"   "4665925"   "4722348"   "4771782"   "4878898"   "4941473"   "5207103"   "5306252"   "5348481"   "5352223"   "5415178"   "5431628"   "5564434"   "5688267"   "5715827"   "5993395"   "6213943").PN. OR ("6394986"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/01 23:07
L10	53	"600"/\$.ccls. and (catheter same slot same (transducer sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 23:14
L11	1	"600"/\$.ccls. and (catheter same slot same carrier same (transducer sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 23:15
L14	10	"600"/\$.ccls. and (catheter same opening same carrier same (transducer sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 23:16

L15	262	"600"/\$.ccls. and ((pressure adj3 (transducer sensor)) same (catheter sheath cannula) same (opening hole slot))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/01 23:16
-----	-----	---	---	----	----	------------------